

POLISHED PLASTER®
MİNERAL GÖRÜNÜMÜ



COLORTEK®

COLORTEK®



SMOOTH
MARBLE SHEEN





Crystal Rain 1200/01




Linen 1200/02



Space 1200/03



Old Paper 1200/04



Spirit 1200/05



Dust 1200/06



Cloudy 1200/08



Clay 1200/09



Olive 1200/10



Olive Tint 1200/11



Footprints 1200/57



Shadow 1200/12



Stone 1200/14



Taupe 1200/15



Saray 1200/13



Moonlight 1200/16



Minerals 1200/17



Silvermink 1200/18

SMOOTH GOLD RUSH
GRANITE








Sunstone 1200/07 - Gold Rush Caju



Footprints 1200/57 - Gold Rush Carrara



Sarray 1200/13 - Gold Rush Anthracite

PITTED
HONED LIMESTONE







White Smoke 1200/00



Cotton Field 1200/19



Whisper 1200/20



Taupe Tone 1200/21



Havana 1200/22



Felt 1200/23



Vanilla 1200/24



Antique 1200/25



Footprints 1200/57



Claystone 1200/26



Light Cement 1200/27



Archive 1200/28



Bone 1200/29



Portland Stone 1200/30



Sunstone 1200/07



China Clay 1200/31



Linen Wash 1200/32



French Grey 1200/33



Plaster 1200/34



Attic 1200/79




Sepia 1200/35



Cork 1200/36



Heat 1200/37



Sublime 1200/38



PITTED METALLO®
STEEL REFLECTIONS









Smoke White 1200/00



Parasol 1200/39



Cinnamon 1200/40



Ash 1200/41



Mist 1200/42



Empire 1200/43



Pewter 1200/44



Canvas 1200/45



Country 1200/46



Estate 1200/47



Plateau 1200/48



British Oak 1200/49




Denim 1200/50



Harbor 1200/51



Obscure 1200/52



Basalt 1200/53

Topped with Metallo® Roman Silver

ACCENT
LUXURY STONE







Topped with Metallo® Terra Dust



Wood berry 1200/54



Dry set 1200/55



Silversmith 1200/56



Lintel 1200/58



Chalk stripes 1200/59

Topped with Metallo® Roman Silver

TRAVERTINE
NATURAL STONE







Desert Breeze 1200/60



Pale Moon 1200/61



Urban 1200/62



Honey Butter 1200/63



Nickel 1200/64



Landmark 1200/65



Silica Sand 1200/66



Sandy 1200/67



Cream 1200/68



Sunstone 1200/07



Tangold 1200/69



Soft Shell 1200/70



A photograph of two tall, slender glass bottles filled with a vibrant blue liquid. The bottles are positioned against a light beige, textured background. A large, white, triangular graphic element is overlaid on the left side of the image, partially obscuring the bottles. The text 'BESPOKE TAILOR-MADE' is printed in a clean, black, sans-serif font in the lower-left area, within the white triangle.

BESPOKE
TAILOR-MADE







Wavy 1200/71



Chaos 1200/72



Conception 1200/73



Blackwood 1200/74



Milestones 1200/75




On The Corner 1200/76



Earth Tone 1200/77



Rods 1200/78



POLISHED PLASTER®

MINERAL FINISH

DESCRIPTION

Polished Plaster® is a natural mineral decorative coating that can be applied in a variety of manners to create a wide range of stone effects including Smooth, Pitted, Travertine, Accent, etc.

Polished Plaster® is available in 4 versions: Polished Plaster®, Polished Plaster® DP (with dark particles), Polished Plaster® MP (with dark and light particles) and Polished Plaster® Filler (ready-mixed powder form).

TECHNICAL NAME

Mineral Coating.

RECOMMENDED USE

Interior or exterior application provided it is top coated with the appropriate protection (refer to adjacent table).

SUBSTRATES

Plaster, embossed wall coverings, gypsum board, concrete, cement rendering, brick work, etc.

FINISH

Natural stone effect.

COVERAGE

0.5 m² per kg.

DRYING TIME

15 to 60 minutes depending on temperature and humidity.

THINNER

No thinning required.

PREPARATION

Surfaces should be clean, dry, and free of loose and flaking material.

INSTRUCTIONS

Prime the substrate with Colortek® Fondo F.

Apply a first coat of Polished Plaster® with an Inox trowel realizing a smooth effect. Leave to dry then apply a second coat. Using a clean trowel, smooth over the wall every 15 minutes until the surface achieves a polished appearance.

Pitted, Travertine and Accent effects can be obtained by using specific Colortek® tools and by adding Colortek® marble chips. For details, refer to the technical data sheets.


PACKAGING

- Polished Plaster® & Polished Plaster® DP: 1US Drum - 25 kg.
- Polished Plaster® Filler : 1US Drum - 18 kg.
- Marble Chips 6 kg for 1 Drum.
- Resin 013.
- Gold Rush Additive 0.3KG per Drum – Available in 4 colors: Carrara, Caju, Anthracite and Diamond.

POLISHED PLASTER® SYSTEMS

EFFECT	MARBLE CHIPS & ADDITIVES	HIGHLIGHT	INTERIOR PROTECTION	EXTERIOR PROTECTION	TOOLS
Accent	Marble Chips	Metallo® mixed with Classic Color*	Oxibond 4005	Oxibond 4005	Inox trowel Deco Tool Ref. 786
Pitted	Marble Chips	None	Oxibond 4005	Oxibond 4005	Inox trowel Deco Tool Ref. 110/75
Pitted Metallo®	Marble Chips	Metallo® mixed with Classic Color*	Oxibond 4005	Oxibond 4005	Inox trowel Deco Tool Ref. 110/75
Travertine	Marble Chips	None	Oxibond 4005	Oxibond 4005	Inox trowel Sponge Pad
Smooth	None	None	Cera Wax	Oxibond 4005	Inox trowel
Smooth Gold Rush	Gold Rush Additive	None	Cera Wax	Oxibond 4005	Inox trowel

* Proper lighting should be directed towards the wall to bring out the metallic sheen in Polished Plaster® highlighted with Colortek® Metallo®.



AÇIKLAMA

Polished Plaster®, Pürüzsüz, Çukurlu, Traverten, Vurgulu vb. gibi birçok çeşitli taş görünümleri oluşturmak için çeşitli şekillerde uygulanabilen doğal bir mineral dekoratif kaplamadır.

Polished Plaster®'in 4 farklı versiyonu mevcuttur: Polished Plaster®, Polished Plaster® DP (koyu renkli taneler), Polished Plaster® MP (koyu ve açık renkli taneler) ve Polished Plaster® Dolgu (hazır toz halde).

TEKNİK ADI

MINERAL KAPLAMA

TAVSİYE EDİLEN KULLANIM

İç veya dış mekânlarda uygun koruma ile son kat kaplama yapılması şartıyla (yandaki tabloya bakınız).

YÜZEYLER

Sıva, kabartmalı duvar kaplama, alçı levha, beton, çimento sıva, tuğla vb.

GÖRÜNÜM

Doğal taş görünümü

ÖRTME

Kg başına 0,5 m²

KURUMA SÜRESİ

Sıcaklık ve neme bağlı olarak 15 ila 60 dakika

İNCELTİCİ

İnceltici gerekmez

HAZIRLIK

Yüzeylerde temiz, kuru ve dağınık ve soyulmuş madde bulunmamalıdır.

TALİMATLAR

Yüzeyi Colortek® Fondo F ile astarlayın.

Pürüzsüz bir görünüm veren Polished Plaster® ilk katını paslanmaz bir çelik mala ile uygulayın. Kurumaya bırakın ve sonra ikinci katı uygulayın. Yüzeyde cilalı bir görünüm elde edilene kadar her 15 dakikada bir temiz bir mala kullanarak yüzeyi düzleyin.

Çukurlu, Traverten ve Vurgulu görünümler, özel Colortek® aletleri kullanılarak ve Colortek® marble chips kullanılarak elde edilebilir. Detaylar için teknik bilgi sayfalarına bakınız.

PAKET BOYUTU

- Polished Plaster® & Polished Plaster® DP: 1ABD Varili - 25 kg.
- Polished Plaster® Dolgu: 1ABD Varili - 18 kg.
- 1 Varil için 6 kg Marble Chips
- Reçine 013.
- Varil başına 0.3KG Gold Rush Additive - 4 renkte mevcuttur: Carrara, Kaju, Antrasit ve Elmas.

POLISHED PLASTER® SİSTEMLERİ

GÖRÜNÜM	MARBLE CHIPS & KATKILAR	VURGU	İÇ KORUMA	DIŞ KORUMA	ALETLER
Accent	Marble Chips	Classic Color* karışıklı Metallo®	Oxibond 4005	Oxibond 4005	Paslanmaz çelik mala
Pitted	Marble Chips	Yok	Oxibond 4005	Oxibond 4005	Paslanmaz çelik mala
Pitted Metallo®	Marble Chips	Classic Color* karışıklı Metallo®	Oxibond 4005	Oxibond 4005	Paslanmaz çelik mala
Travertine	Marble Chips	Yok	Oxibond 4005	Oxibond 4005	Paslanmaz çelik mala
Smooth	Yok	Yok	Cera Wax	Oxibond 4005	Paslanmaz çelik mala
Smooth Gold Rush	Gold Rush Additive	Yok	Cera Wax	Oxibond 4005	Paslanmaz çelik mala

* Polished Plaster®'in Colortek® Metallo® ile vurgulanan metalik pırıltısını ortaya çıkarmak için duvara doğru uygun ışıklandırma yapılmalıdır.





COLORTEK

Product designed in the EU



www.colortek.eu
info@colortek.eu



Synergy, Added Value, Continuous Improvement, Diversity, Integrity, Social Responsibility.